


Unit: mm

Check Valve Clamp End



DIN

Size	B2	B	A
DN15	87.0	34.0	102.0
DN20	87.0	34.0	102.0
DN25	87.0	50.5	102.0
DN32	87.0	50.5	102.0
DN40	87.0	50.5	102.0
DN50	100.0	64.0	113.4
DN65	115.0	91.0	122.0
DN80	128.0	106.0	142.0
DN100	164.0	119.0	188.1

SMS

Size	B2	B	A
25	87.0	50.5	102.0
32	87.0	50.5	102.0
38	87.0	50.5	102.0
51	100.0	64.0	113.4
63	115.0	77.5	122.0
76	128.0	91.0	142.0
89	128.0	106.0	142.0
102	164.0	119.0	188.1


ISO/IDF

Size	B2	G	A
Φ25	87.0	50.5	102.0
Φ38	87.0	50.5	102.0
Φ51	100.0	64.0	113.4
Φ63	115.0	77.5	122.0
Φ76	128.0	91.0	142.0
Φ100	164.0	119.0	188.1

3A

Size	B2	G	A
1/2"	87.0	25.4	102.0
3/4"	87.0	25.4	102.0
1"	87.0	50.5	102.0
1 1/2"	87.0	50.5	102.0
2"	100.0	64.0	113.4
2 1/2"	115.0	77.5	122.0
3"	128.0	91.0	142.0
4"	164.0	119.0	188.1

Check Valve Thread End



DIN

Size	B2	G	A
DN15	87.0	RD34 × 1/8	110.5
DN20	87.0	RD44 × 1/6	114.5
DN25	87.0	RD52 × 1/6	116.5
DN32	87.0	RD58 × 1/6	116.5
DN40	87.0	RD65 × 1/6	116.5
DN50	100.0	RD78 × 1/6	130.0
DN65	115.0	RD95 × 1/6	142.5
DN80	128.0	RD110 × 1/4	166.5
DN100	164.0	RD130 × 1/4	212.5

SMS

Size	B2	G	A
25	87.0	RD40 × 1/6	112.5
32	87.0	RD48 × 1/6	112.5
38	87.0	RD60 × 1/6	116.5
51	100.0	RD70 × 1/6	128.0
63	115.0	RD85 × 1/6	143.5
76	128.0	RD98 × 1/6	165.5
89	128.0	RD110 × 1/6	168.5
102	164.0	RD125 × 1/6	210.5
102	164.0	RD132 × 1/6	210.5


ISO/IDF

Size	B2	G	A
1"	87.0	37.1 × 8TACME	102.0
1 1/2"	87.0	50.6 × 8TACME	102.0
2"	100.0	62.4 × 8TACME	113.4
2 1/2"	115.0	77.7 × 8TACME	122.0
3"	128.0	91.2 × 8TACME	142.0
4"	164.0	118.4 × 8TACME	188.1
4"	164.0	125.9 × 6TACME	

3A

Size	B2	G	A
1"	87.0	45.7 × 8TWHIT	130.5
1 1/2"	87.0	58.4 × 8TWHIT	130.5
2"	100.0	72.7 × 6TWHIT	142.0
2 1/2"	115.0	85.4 × 6TWHIT	150.5
3"	128.0	98.1 × 6TWHIT	170.5
4"	164.0	123.8 × 6TWHIT	210.5

Check Valve Weld End



DIN

Size	B2	D	A
DN15	87.0	18.0	76.5
DN20	87.0	22.0	76.5
DN25	87.0	28.0	76.5
DN32	87.0	34.0	76.5
DN40	87.0	40.0	76.5
DN50	100.0	52.0	87.9
DN65	115.0	70.0	96.5
DN80	128.0	85.0	116.5
DN100	164.0	104.0	156.5

SMS

Size	B2	D	A
25	87.0	25.4	76.5
32	87.0	31.8	76.5
38	87.0	38.1	76.5
51	100.0	50.8	87.9
63	115.0	63.5	96.5
76	128.0	76.2	116.5
89	128.0	89.0	116.5
102	164.0	101.6	156.5

ISO/IDF


Size	B2	D	A
Φ19	87.0	19.0	76.5
Φ25	87.0	25.4	76.5
Φ32	87.0	32.0	76.5
Φ38	87.0	38.1	76.5
Φ45	100.0	45.0	88.0
Φ51	100.0	50.8	88.0
Φ57	100.0	57.0	88.0
Φ63	115.0	63.5	96.5
Φ76	128.0	76.2	116.5
Φ89	128.0	89.0	116.5
Φ102	164.0	101.6	156.5
Φ108	164.0	108.0	156.5

3A

Size	B2	D	A
1/2"	87.0	12.7	76.5
3/4"	87.0	19.1	76.5
1"	87.0	25.4	76.5
1 1/2"	87.0	38.1	76.5
2"	100.0	50.8	87.9
2 1/2"	115.0	63.5	96.5
3"	128.0	76.2	116.5
4"	164.0	101.6	156.5

Unit: mm


Vertical Type Check Valve Thread End



No.	NAME	MATERIAL
1	Valve Body	Stainless Steel
2	Seat Ring	Silicon
3	Spring	Stainless Steel
4	Holder	Teflon
5	Holder	Stainless Steel

Working Temperature: max 220°C



SIZE	L	A	B
1/4"	66	18	12
3/8"	66	22	15
1/2"	66	24	19



No.	NAME	MATERIAL
1	Valve Body	Stainless Steel
2	Seat Ring	Silicon
3	Spring	Stainless Steel
4	Holder	Teflon
5	Holder	Stainless Steel

Working Temperature: max 220°C

SIZE	L	A	B
3/4"	72	30	24
1"	83	38	32
1 1/4"	105	46	40
1 1/2"	115	51	46
2"	125	64	57



Weld End and Clamp End Available